


IAPMO RESEARCH AND TESTING, INC.

4755 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org



CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

TURKUVAZ SERAMIK

SANITARYWARE FACTORY/HEAD, OFFICE, ORGANIZE SANAYII, BOLGESI 6. CADDE NO.15, KAYSERI, 38070, TURKEY

Product:

Ceramic Plumbing Fixtures

Products are in compliance with the following code(s):

**Uniform Plumbing Code (UPC®)
National Plumbing Code of Canada**

Products are certified to the following standard(s)

ASME A112.19.2-2024/CSA B45.1:24

File Number: 13109

Effective Date: December 2021

Void After: December 2026*


Chairman, Product Certification Committee





Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING



Issued To: TURKUAZ SERAMIK

Effective Date: December 2021

File Number: 13109

Product: Ceramic Plumbing Fixtures

Void After: December 2026

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification:

Ceramic Plumbing Fixtures shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets and urinals shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging for water closets and urinals shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics:

Ceramic plumbing fixtures may include water closets, lavatories, urinals, bidets, service sinks and drinking fountains. To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Models

CeraStyle®

Model Number	Description	Dimension
CB014E0	Wall Mount Lavatory	17-3/8" x 11-1/4" x 5-3/4"
TB014D1	Wall Mount Lavatory	14-3/4" x 11-1/4" x 5-1/2"
TB002F2	Countertop Lavatory	19-5/8" x 9-7/8" x 4-1/2"
CB062E8	Wall Mount Lavatory	18-1/4" x 18-1/2" x 6-1/2"
WB005E1	Wall Mount Lavatory	17-3/4" x 13-3/4" x 7"
WB005I1	Wall Mount Lavatory	23-3/4" x 19-1/2" x 7-3/8"
VB028I3	Wall Mount Lavatory	23-5/8" x 21" x 10-1/2"
VB015H8	Wall Mount Lavatory	23-1/2" x 17-3/4" x 6-5/8"
VB015K4	Wall Mount Lavatory	27-1/2" x 17-3/4" x 6-7/8"
VB015M2	Wall Mount Lavatory	31-1/2" x 17-3/4" x 7"
VB015A0	Wall Mount Lavatory	39-3/8" x 16-3/4" x 7-1/4"
VB032H8	Wall Mount Lavatory	23-5/8" x 17-3/4" x 6-1/2"
VB032K4	Wall Mount Lavatory	27-1/2" x 17-3/4" x 6-1/2"
VB032M2	Wall Mount Lavatory	31-1/2" x 17-3/4" x 6-5/8"
VB032A0	Wall Mount Lavatory	39-3/8" x 17-3/4" x 7-1/2"
VB032B5	Wall Mount Lavatory	41-1/4" x 17-3/4" x 6-3/4"
VB004L9	Wall Mount Lavatory	31-1/4" x 14-7/8" x 6-1/2"
VB012F0	Wall Mount Lavatory	18-7/8" x 18-3/4" x 7-1/8"
VB012I0	Wall Mount Lavatory	23-5/8" x 18-7/8" x 7-1/4"
VB012M4	Wall Mount Lavatory	31-1/2" x 18-7/8" x 7-1/8"
VB012A3	Wall Mount Lavatory	39-1/4" x 18-3/4" x 7-1/4"
VB012B7	Wall Mount Lavatory	47-1/4" x 18-7/8" x 7"

IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Model Number	Description	Dimension
VB041H9	Wall Mount Lavatory	23-3/4" x 17-5/8" x 7"
VB041M3	Wall Mount Lavatory	31-1/2" x 18-1/2" x 6-1/2"
VB041A2	Wall Mount Lavatory	39-3/8" x 18-1/2" x 6-3/4"
VB069S5	Wall Mount Lavatory	25-1/2" x 12-1/2" x 7-3/8"
VB069L9	Wall Mount Lavatory	31-1/2" x 14-3/4" x 7-5/8"
VB069S9	Wall Mount Lavatory	39-1/2" x 14-3/4" x 7-5/8"
VB048N5	Wall Mount Lavatory	33-1/8" x 17-1/2" x 6-3/4"
VB067N6	Wall Mount Lavatory	33-1/2" x 18-5/8" x 6-1/2"
OC007S8	Wall Mount Lavatory	29-3/4" x 16-1/4" x 7-1/4"
VB079S4	Wall Mount Lavatory	31-1/2" x 18-1/8" x 6-3/4"
VB022L6	Wall Mount Lavatory	29-7/8" x 18-1/4" x 6-1/2"
VB022A1	Wall Mount Lavatory	39-3/4" x 18-1/4" x 6-1/2"
VB023J6	Wall Mount Lavatory	25-1/2" x 18-7/8" x 6-1/2"
VB023M4	Wall Mount Lavatory	31-1/2" x 19" x 6-1/2"