



Product certificate K104775/01

Issued 2020-04-01

Replaces n/a

Page 1 of 3

WC-pans

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

TURKUAZ SERAMIK SANAYI VE TICARET A.S.

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline BRL-K619 "WC-pans" dated 15-09-2019.

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

CERTIFICATE

289171015

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company

TURKUAZ SERAMIK SANAYI VE TICARET A.S.
1.O.S.B. 6. CADDE NO:15
38070 MILIKGAZI/KAYSERI
Turkey
Tel. +90 352 321 2008
info@turkuazseramik.com.tr
www.turkuazseramik.com.tr

Certification process
consists of initial and
regular assessment of:

- quality system
- product

WC-pans

Technical specification

The products mentioned below belong to this certificate.

WC-pans using a nominal flush volume of 6 litres

The products mentioned are intended for connection with a (concealed) cistern, unless otherwise mentioned.

Wall-hung WC-pans

1. Model: City Asma (art. no. 019100)
Cerastyle Wall-hung Rimless

2. Model: Ibiza Asma (art. no. 018900)
Cerastyle Wall-hung Rimless

WC-pans

Application and use

The WC-pans delivered under this certificate in combination with flushing cisterns and/or pressure flush valves are intended for use as sanitary appliances, connected to drinking water installations with a water temperature of 30 °C maximum.

Marking

The Kiwa®-mark products are marked with the word mark "KIWA"

On the WC-pan this word mark shall be followed by

- the number 6, 7.5 or 9, indicating the flushing volume;
- For WC-pans approved at a nominal flush of 4 or/and 5 litres, only the wordmark "Kiwa" is permitted.
- the letter A and or C which indicates the type of flushing device to be connected:
 - **A** intended for connection with a cistern (or concealed cistern)
 - **C** intended for connection with a pressure flush valve.

Example:

The WC-pan is marked as follows:

"KIWA-6-A "

By this marking it is given that the WC-pan is Kiwa certified and intended for connection to a (concealed) flushing cistern. The minimum water volume required to perform a full flush amounts 6 ± 0.2 litres.

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or on one of the sides of the flushing rim.

Compulsory specifications:

name or mark of the manufacturer

- on the WC-pans; between the attachment holes of the lavatory seat; on the side or on one of the sides of the flushing rim;
- additional markings as specified in the European Standard EN997.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- TURKUAZ SERAMIK SANAYI VE TICARET A.S.

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.